

# **MASK WITH GUSSET**

This invention relates generally to masks for use in respiratory therapy. One use is in CPAP treatment of Obstructive Sleep Apnea. However, the mask arrangements presented  
5 herein are useful in other types of respiratory therapy. In the quest for an improved mask arrangement for respiratory therapy, there are various design objectives – effectiveness of seal between the mask and the patient's face, good compliance with a prescribed therapy regime, and patient comfort. The present invention provides various embodiments of a novel mask arrangement, which offers several distinct advantages over known mask arrangements.

## **BACKGROUND**

In respiratory therapy where air is delivered to the mask under pressure, it is important to maintain a good seal between the mask and the patient's face. Leaks between the mask and the patient's face can reduce the desired air pressure in the mask and create  
15 increased noise. Both can reduce the effectiveness of, and compliance with, the therapy. In the first instance, the prescribed treatment parameters are not being maintained. In the latter, the increased noise can disrupt the sleep cycle of both the patient and the patient's bed partner.

Leaks are especially prone to occur as the patient moves during the night. Drag and  
20 movement of the air delivery tube or the mask system as the patient turns or moves can alter the positioning and alignment of the mask with respect to the patient's face, which movement can be translated or transferred to the cushion seal, creating leaks. Thus, while the mask may initially be leak free when attached to the patient, leaks are prone to develop later in the night as the patient moves in bed, awakening the patient. Hence, patients may tighten straps more

than is necessary for pressure requirements in order to reduce or prevent leaks that result from movement.

Many different mask systems are known. One broad group of known mask systems include a rigid shell, a face-contacting cushion and headgear. The shell typically encompasses the nose or nose and mouth. Some known shells encompass the entire face. The cushion is typically constructed from a soft material such as silicone. A headgear provides a means to secure the mask in position. One known form of headgear consists of an arrangement of straps.

Certain mask designs have been developed to increase the flexibility of the mask cushion to enhance patient comfort while maintaining an effective seal between the mask and the patient. The Bubble Cushion (a registered trademark of ResMed, Ltd.) Mask, covered by US Patent No. 5,243,971, the subject matter of which is incorporated herein by reference, uses a flexible cushion membrane attached to a mask shell and the pressure inside the mask system to assist in the seal of the cushion membrane itself against the skin or face of the user.

The ResMed Mirage (a registered trademark of ResMed, Ltd.) Mask System, is covered by, inter alia, US Patent No. 6,112,746, the subject matter of which is incorporated herein by reference, has a contoured, three-dimensionally shaped cushion having an outer face-contacting membrane spaced apart from an inner frame rim to both assist in the seal and increase the comfort of the patient. Neither of these masks incorporates an expanded gusset section for mounting the cushion to the mask to assist in sealing the mask to the patient (user).

A known fitting procedure with a known mask has been to supply the maximum air pressure to the mask that will be supplied to the mask during the therapy and to adjust the strap tension to the necessary level to prevent leaks at that maximum air pressure. However, in many therapy regimens, this maximum air pressure is often encountered only during a

portion of the duration of the therapy and the mask air pressure is lower at other times during the therapy. Such is the case, for example, when using auto-titrating or variable pressure systems or during ramp-up when using CPAP systems. Thus, the strap tension is higher than necessary during significant portions of the therapy duration. Further, since leaks are  
5 disruptive of both the sleeping cycle and the prescribed therapy regimen, patients will often tighten the straps even more than is necessary to prevent leaks at the maximum encountered air pressure. In known masks, this higher than necessary strap pressure directly results in a higher than necessary force of the mask cushion on the patient's face, particularly as the pressure goes below the maximum mask air pressure.

10 See Figure 1, which shows a force diagram for a known mask 110 having a cushion 130 attached to a rigid shell 120. The cushion 130 includes a face-contacting portion 134 attached to a cushion sidewall 173. The cushion sidewall 173 can be relatively flexible, as in the ResMed Bubble Cushion® mask, or relatively rigid, as in the ResMed Mirage® mask. Although the mask 110 would be in contact with the face 42 of a patient 40 (shown in  
15 phantom) in use, for purposes of clarity in this diagram (as well as the diagram of Figure 10), a flat foundation 43 is substituted for the patient's face 40. The total force of prior art masks on the user's face  $F_m$  has been found empirically to be given by the equation  $F_m = F_c + F_{Ac}$ , where  $F_c$  is the force of the cushion on the patient's face and  $F_{Ac}$  is the force on the patient's face of the mask air pressure  $P$  inside of the perimeter of  $A_c$ , the area of contact of the  
20 cushion with the patient's face. The force  $F_{Ac}$  is given by the equation  $F_{Ac} = PA_c$ . Since the force  $F_c$  is distributed around  $A_c$  and is not merely located at two points on the cushion, as it might seem due to the limitations of the two-dimensional representation of Figure 1, this force is shown in parentheses. Although  $A_c$  is shown inward of the sidewall 173 as would be the case if the mask 110 had just been brought into contact with the user's face with a  
25 minimal contacting force, in practice, the face-contacting portion 134 tends to roll under

when sufficient force is applied to the mask 110 to seal the mask to the user's face such that  $A_c$  can expand outward, toward the sidewall 173.

The force (tension) in the headgear strap  $F_s$  for the prior art mask has been found empirically to be given by the equation  $F_s = (F_c + F_{Ac})/(2\cos\theta)$ , where  $\theta$  is the angle of the head strap with respect to the mask 110. Thus, the force of the cushion on the patient's face  $F_c$  is given by the equation  $F_c = 2F_s\cos\theta - F_{Ac}$ . The force of the mask cushion on the patient's face is difficult to distribute completely evenly around the cushion in known masks, especially at higher forces, and results in localized high pressure spots around the mask cushion. This higher force on the face, and especially the localized high pressure spots, are uncomfortable to the patient and can disrupt the sleep cycle. See, for instance, Figure 2, which charts the force required to secure a mask on a face versus the air pressure in the mask (measured in centimeters  $H_2O$ ). As seen there, the force required to maintain a known mask sealed to the face throughout a mask air pressure range is most substantially affected by the maximum air pressure in the mask that will occur during therapy. That is, the force of the mask on the face remains at a fairly high level even when the pressure in the mask drops and this force of the mask on the face is directly related to the force necessary to seal the mask at the maximum mask air pressure. Misalignment of the mask will move the curve upward as higher forces are required to seal the mask to the face in light of the misalignment.

This force on the face increases as the head straps of a known mask are tightened to increase the sealing force of the mask, and thereby compressing the cushion and bringing the shell of the mask closer to the patient's face. When the straps are tightened, the shell of the mask moves a distance  $X$  between a position  $X_0$  when a seal is first obtained to a position  $X_p$  when it reaches the point where the cushion is being compressed beyond its normal range. The mask shell may be able to move beyond  $X_p$  but the cushion tends to become rigid or nearly so at about  $X_p$ , thereby limiting further travel. In a known mask,  $F_c$  generally increases

at a first rate (i.e., the slope of the curve) as the mask moves toward the patient's face within a given range of X. This first rate occurs within the range of flexibility of the face-contacting portion 134. This first rate is also a function of the pressure in the mask acting on a back side of the face-contacting portion 134 of the mask. Thus, as the pressure in the mask increases,  
5 the first rate also increases within the given range of X.

However, the known cushion becomes less flexible as it is further compressed beyond such range of X. In a mask having a more flexible sidewall, as discussed above,  $F_c$  will then increase at a faster rate as the mask moves toward the patient's face due to a spring-force imparted by the sidewall until such point as the sidewall is nearly completely compressed and directly passing on the force from the rigid mask shell to the face. In a mask having a more  
10 rigid sidewall, as discussed above,  $F_c$  will then increase at an even faster rate for a short distance as the mask moves toward the patient's face but will quickly reach a point where the rigid sidewall is directly passing on the force from the rigid mask shell to the face.

See Figure 3, which charts the force required to secure a mask on a face versus the movement of the mask frame (shell) from a relaxed positioned toward the face. The solid  
15 curve of Figure 3 shows the force on the face for a known mask, such as the ResMed Mirage® mask, at a mask air pressure of 10 cms H<sub>2</sub>O. It can be seen from this curve that the force on the face increases in generally linear proportion to the movement of the mask towards the face within the range of flexibility the cushion 130. However, at such point  
20 where the cushion is nearly completely compressed (at approximately 5-7 mm in Figure 3) so that the generally rigid sidewalls of the cushion 130 begin directly transferring the force from the rigid shell 120 to the face, the force on the face increases dramatically as the mask shell moves toward the face.

U.S. Patent Nos. 5,492,116 and 5,655,527 to Scarberry disclose a full-face respiratory  
25 mask. The mask includes a flexible seal member 18 directly attached to a mask shell 12 and

is attached to the user's head by head gear 24. The flexible seal member 18 itself contacts the user's face with a broad area of contact and maintains a seal with the user's face through pressure in the space 62 acting directly upon seal membrane inner surface 54.

Japanese Provisional unexamined patent application (Laid-open Kokai) published  
5 January 6, 1999 entitled NASAL MASK FOR RESPIRATION, Provisional Publication No. 11-397 discloses a bellows-formed elastic body between a mask shell and cushion. As seen in the figures of that publication, the bellows portion of the mask projects an area over the patient's face that is substantially the same as the contact area defined by the line of contact of the mask cushion with the patient's face. This publication teaches nothing about the  
10 relationship between the area of the bellows and the force applied to the patient's face.

Although the bellows provides limited mechanical flexibility, no significant pressure advantages or significant mechanical flexibility can be achieved. This mask does not overcome the sealing problems incurred by movement of the mask with respect to the patient's face without utilizing an increased head strap pressure across the mask air pressure  
15 operating range.

## SUMMARY OF THE INVENTION

In one aspect, the invention provides a mask system including a shell which in use is positioned in a predetermined position relative to a patient's face, a face-contacting cushion  
20 which in use transfers a force to the patient's face, and a means for permitting relative movement between the cushion and the shell wherein said means provides a predetermined force on the cushion. In one form, the predetermined force is a function of mask pressure. In another form, the predetermined force is a function of the displacement of the shell relative to the face. In another form, the predetermined force is a function of both mask pressure and  
25 displacement of the shell relative to the face. In another form, the predetermined force is

independently controlled. In another form, the means for permitting relative movement between the cushion and the shell is provided by a gusset section positioned in-between the shell and the cushion.

In one aspect, the invention provides a mask system including a face-contacting cushion having a first projected area on the face, a mask shell and a gusset section therebetween, the gusset section having a second projected area on the face wherein the second projected area is greater than the first projected area by greater than approximately 30%.

In another aspect the invention provides a mask system for use at a mask pressure including headgear coupled to a shell which exerts forces on the shell and a face-contacting cushion which transfers forces to the face, constructed and arranged so that the force transferred from the face-contacting cushion to the face is a strong function of mask pressure. The greater projected area of the gusset arrangement with respect to the face contacting area of the cushion uses the air pressure in the mask to expand the gusset into contact with the patient's face, even when the mask shell changes alignment with the patient's face, to provide a more secure seal between the mask and the patient. The expansion, contraction and bending of the gusset allows for enhanced mechanical flexibility over known mask arrangements that helps to maintain a seal even when the patient moves significantly during sleep and the position of the mask with respect to the patient's face changes. Thus, the force of the mask on the face is most significantly proportional to the mask air pressure and the cushion is maintained in secure sealing contact with the patient's face by the mask air pressure over a broader range of positioning of the mask with respect to the patient. This allows for the tension in the straps of the headgear to be generally less than with a known mask to securely seal the mask to the patient's face, especially at mask air pressures below the maximum mask

air pressure for the therapy, providing greater patient comfort and compliance with the prescribed respiration therapy regime.

While some membrane-type cushion mask arrangements accommodate limited relative movement between the cushion and the wearer's face while maintaining a tolerable seal, the present invention dramatically increases the level of accommodation without a corresponding increase in the head strap pressure used to secure the mask to the patient. The gusset section provides a flexible component between the mask shell and the cushion in contact with the user's face while reducing the tension required in the headgear to maintain the seal.

Other embodiments of the present invention provide new mask cushion configurations that assist in maintaining the seal between the mask cushion and the user's face.

Another embodiment of the present invention includes the use of a novel baffle element positioned within the interior space of the mask arrangement. The employment of a baffle member within the mask of the present invention minimizes short-circuiting of the intake gas directly to the exhaust vent with the resulting buildup of carbon dioxide. Thus, the baffle serves to reduce the functional dead space of the mask and reduce the level of carbon dioxide rebreathing by the patient.

With the foregoing in mind, other objects, features and advantages of the present invention will become more apparent upon consideration of the following description and the appended claims with reference to the accompanying drawings, all of which form part of this specification, wherein like reference numerals designate corresponding parts in various figures.

#### BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 shows a force diagram for a known mask;

25 Sub  
B1



Figure 2 charts the force required to secure both known and present invention masks on a patient's face versus the air pressure in the mask;

Figure 3 charts the force required to secure both known and present invention masks on a patient's face versus the movement of the mask shell from a relaxed positioned toward  
5 the patient's face;

Figure 4 shows a side elevational view of a mask of the present invention;

Figure 5 shows a perspective view of the mask of Figure 4;

Figures 6-7 are partial sectional views of the gusset portion of the mask of Figure 4 before and after inflation;

10 Figure 8 is an end elevational view of a mask shell side of the gusset portion of the mask of Figure 4;

Figure 9 is a partial sectional view of the cushion of the mask of Figure 4;

Figure 10 shows a force diagram of the mask of Figure 4;

15 Figure 11 is a perspective view of a mask of the present invention attached to a patient using strap-based headgear;

20 Figure 12 is a partial sectional view of an alternative embodiment of the gusset portion of the present invention;

Figure 13 is a partial side elevational view of an alternative embodiment of the gusset portion of the present invention;

Figure 14 is a partial sectional view of an alternative embodiment of the gusset portion of the present invention;

Figures 15-18 show sectional views of alternative embodiments of the mask of the present invention in contact with a patient's face;

Figure 19 diagrams the key characteristics, principal advantages and patient benefits deriving from the present invention and leading to increased therapy compliance by the patient;

Figure 20 shows an elevational view of the interior of the mask shell of one  
5 embodiment of the present invention;

Figure 21 shows a diagrammatic view of an alternative embodiment of the present invention;

Figure 22 shows a diagrammatic view of an alternative of the embodiment shown in Figure 21;

10 Figure 23 shows a partial sectional view of one alternative of the embodiment of Figure 21;

Figure 24 shows a partial sectional view of another alternative of the embodiment of Figure 21; and

Figures 25-30 show partial sectional views of alternative embodiments of a mask cushion of the present invention.

## DETAILED DESCRIPTION OF THE INVENTION

*Perf  
PB*  
20 A first embodiment of the respiratory mask 10 of the present invention is shown in Figures 4-9. The mask 10 includes a generally rigid shell 20 having an air tube 22 for connecting to a pressurized air supply 23. A gusset portion 32 is attached to the shell 20 in a known manner such as gluing or mechanical fastening. The gusset portion 32 acts as a suspension mechanism for a cushion 30 and includes a flexible gusset sidewall 33. A partial sectional view of the gusset portion 32 is shown in Figure 6. In this embodiment, the gusset  
25 sidewall 33 has a generally uniform thickness and the gusset portion 32 has a generally

5 triangular cross-section when not exposed to mask pressure. However, in this embodiment, the flexible sidewall 33 will balloon out when the mask 10 is pressurized to take on the more rounded cross-section shown in Figure 7. The Figure 8 end view of the gusset portion 32 shows that the gusset has a generally triangular outline to conform with the shape of the cushion 30 and shell 20.

10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191  
2192  
2193  
2194  
2195  
2196  
2197  
2198  
2199  
2200  
2201  
2202  
2203  
2204  
2205  
2206  
2207  
2208  
2209  
2210  
2211  
2212  
2213  
2214  
2215  
2216  
2217  
2218  
2219  
2220  
2221  
2222  
2223  
2224  
2225  
2226  
2227  
222

that it utilizes the pressure in the mask acting on its increased surface area to provide the primary force for maintaining the face-contacting portion of the cushion in sealing contact with the user's face. The second key characteristic of the gusset portion is that it provides a decoupling joint between the face-contacting portion 34 of the cushion 30 and the mask shell 20, thus allowing some relative movement between the mask and the user's face. This arrangement substantially protects the seal from undue disturbance in the following scenarios: 1) displacement or tilting of mask shell or harness; 2) relaxation of the facial muscles; 3) movement of the patient; and/or 4) movement of the tube. Figure 11 shows one embodiment of the mask of the present invention attached to a patient.

Figure 10 shows a force diagram representative of the mask embodiment shown in Figures 4-9 (as well as various alternative embodiments of the present invention discussed below). Figure 10 shows  $A_c$ , the area of contact of the cushion with the patient's face and  $A_g$ , the area defined by the gusset portion 32, for the present invention mask.

The area  $A_g$  is a projected area on the user's face (i.e., projected on a plane normal to an axis of the mask) of an interior of the gusset portion 32 exposed to the mask air pressure. In the embodiment shown in Figures 4-10,  $A_g$  extends to the outermost interior surface of the sidewall 33 of the gusset portion 32 and includes  $A_c$ . As can be seen, the addition of the gusset portion 32 to the mask 10 results in an area  $A_g$  being significantly greater with respect to the area  $A_c$  than is found in either the prior ResMed® masks (see Figure 1) or the mask disclosed in Japanese Provisional Publication No. 11-397, discussed above.

The significance of this can be seen from the following. In one form of the invention, the total force of the mask on the face  $F_m$  is given by the empirical equation  $F_m = F_c + F_{Ac} = P(A_g - kX) = 2F_s \cos \theta$ . The force of the cushion on the patient's face  $F_c$  is given by the empirical equation  $F_c = P(A_g - A_c - kX)$ . The force (tension) in the headgear strap  $F_s$  is given by the empirical equation  $F_s = P(A_g - kX)/(2\cos \theta)$ , where  $k$  is the spring constant for the

elasticity of the gusset portion and  $X$  is the amount of travel of the mask shell toward the face. Figure 10 also shows  $X_p$ , the working travel range of the gusset portion 32, although in practice, if the pressure in the mask pushes the face-contacting portion 34 away from the shell 20,  $X_p$  can be longer than is shown when the gusset is at rest.

5           Although  $k$  is usually not affected by pressure with respect to a purely mechanical spring, it has been found that within the pressure ranges occurring in the mask of the present invention, that  $k$  is proportional to both pressure and distance traveled. Thus, while in the present invention, the maximum force on the face  $F_m$  that could be expected to be exerted within  $X_p$  would be  $PA_g$ , testing has shown that this is reduced by the  $k$  factor which is both  
10           proportional to pressure in the mask and distance traveled.

          For a prior art mask configuration, it is seen from Figure 1 that the force in the headgear strap  $F_s = (F_c + PA_c)/(2\cos\theta)$ . For the present invention mask, it is seen from Figure 10 that the force in the headgear strap  $F_s = P(A_g - kX)/(2\cos\theta)$ . The area defined by the gusset  $A_g$  is substantively larger than the area in contact with the face  $A_c$ . Therefore, at the point at which the cushion touches the face (the theoretical initial seal point when both  $F_c = 0$  and  $X = 0$ ), the force in the straps for the known mask will be  $PA_c/(2\cos\theta)$  as opposed to  $PA_g/(2\cos\theta)$  for the present invention mask. However, in reality, a contact force  $F_c$  greater than zero is required to: 1) maintain the seal between the face and the cushion because the profiles of the face and cushion are not perfectly matched, and 2) maintain this seal during movement of the  
20           face relative to the shell. This force is balanced by the tension in the headgear straps in the known mask system and balanced by the pressure acting upon the gusset area alone,  $A_g - A_c$ , in the present invention mask system. Thus, within the normal operating mask air pressure range, and especially at lower operating mask air pressures, it has been found that the headgear tension  $F_s$  is lower in the present invention mask system.

From Figure 10, it can also be seen that for the present invention mask, the contact force between the cushion and the face is proportional to the mask pressure,  $F_c = P(A_g - A_c - kX)$ . This has significant implications in therapies where the mask air pressure varies during either the course of a breath or breath-to-breath or to meet other therapeutic needs. With known mask configurations, where the force of the cushion on the face varies little, if at all, with respect to the pressure in the mask, the tension in the straps must be set sufficiently high at low pressures such that the contact force of the cushion on the face is sufficient to maintain the seal with the face when higher pressures are reached.

For the present invention configuration, both the cushion contact force and the strap tension are significantly affected by the pressure in the mask due to the significantly increased area of the gusset. Therefore, as they both are most proportional to the pressure in the mask, they both will be significantly lower at low pressures and increase as the pressure reaches higher pressures.

In fact, in practice, it has been found that this holds true even at maximum mask air pressures. As an example, assume that  $A_c$  is the same in both a known mask (as, for instance, the ResMed Mirage® mask) and the inventive mask (both using, say, the same configuration in the face-contacting portion of the cushion).  $F_{Ac}$  would be the same in both cases. Then you might expect that given proper alignment of both masks, the minimum necessary  $F_c$  for sealing the masks at a given pressure would be the same in both the known and inventive masks and thus, the required  $F_m$  to seal at a given pressure to be the same in both cases.

However, testing has shown that the present invention mask will seal at a lower force on the cushion, a lower force on the face, and a lower tension in the straps, even at the maximum mask air pressure, than the known mask. It is believed that the test results reflect the real world situation. That is, no face is identical and exactly conforms to the cushion and further, that it is extremely difficult to maintain exact alignment of the mask with the face. This is

even more the case with older and/or overweight patient that have loose skin, wrinkles and/or skin folds that hamper the sealing of the mask to the face. Testing has shown that the present invention mask is better able to accommodate these inconsistencies from user to user and provide better sealing performance at lower forces on the face (even at the maximum mask air pressure) than the known mask.

See also the chart in Figure 3 that shows a comparison of the present invention mask and known masks with respect to the force on the face as the mask shell moves toward the face. As long as the present invention is within the range  $X_p$  of the gusset, there is no sharp increase in the force on the face as with the known masks as the mask shell approaches the face. Beyond  $X_p$ , the force on the face will increase more dramatically, as happens with the known mask, so it is desirable when adjusting the headgear to bring the face contacting portion of the cushion only near or in very light contact with the face. In this way, the gusset is not compressed substantially so that in use the mask is still within the  $X_p$  range. This is possible because the seal is maintained by the pressure in the mask and not by compression of the cushion by the headgear. Adjustment of the headgear and mask is thus much simpler than in the known masks. While the range of  $X_p$  can be varied for different patients and therapies by varying the size and shape of the gusset section, it has been found that an  $X_p$  of between 10-30 mm has been effective. It is noted that the curves shown in Figure 3 are for a mask air pressure of  $10 \text{ gf/cm}^2$  (grams force/centimeter<sup>2</sup>) These curves can be expected to rise and lower as the mask air pressure is increased and decreased, respectively, but will generally maintain the same shape within the operating pressure range of the mask.

In one embodiment of the present invention shown in Figures 4-9, the gusset and cushion are integrally molded of Silastic® 94-595 HC Liquid Silicone Rubber from Dow Corning®, the gusset sidewall 33 has a uniform thickness of 0.5 mm, the gusset has a long length (of the generally triangular  $A_g$ ) of approximately 105 mm and the long length of the

generally triangular  $A_c$  is approximately 71 mm. The  $X_p$  is approximately 25 mm. Thus, the gusset ( $A_g$ ) extends generally beyond the face-contacting portion of the cushion ( $A_c$ ) by approximately 17 mm on each side. This provides for approximate figures for the  $A_c$  of 31.5 cm<sup>2</sup>, the  $A_g$  of 75 cm<sup>2</sup>, a gusset only area ( $A_g - A_c$ ) of 43.5 cm<sup>2</sup> and an  $A_g/A_c$  of approximately 2.4 (or 240%). These dimensions can be altered for different force relationships as desired, but in the preferred embodiments,  $A_g/A_c$  will be in the range of about 1.30-5.00 and desirably in the progressively narrowing ranges of 1.50-5.00, 2.00-4.00, and 2.25-3.50, but can be adjusted to fall within any range within the overall range of 1.30-5.00 or even within a range extending beyond that range if circumstances warrant. This compares with an estimated  $A_g/A_c$  for the mask example disclosed in Japanese Provisional Publication No. 11-397 discussed above of approximately 1.08.

In the preferred embodiment of the mask, the total force applied to the face  $F_m$  is approximately constant at between 35 to 108 grams per gf/cm<sup>2</sup> mask air pressure, preferably between about 40 to 88 grams per gf/cm<sup>2</sup> mask air pressure and most preferably between about 50 to 88 grams per gf/cm<sup>2</sup> mask air pressure. The force applied by the surface area in contact with the face  $F_c$  is maintained at an approximately constant proportion to the mask air pressure being delivered to the user and is maintained between about 8 to 61 grams per gf/cm<sup>2</sup> mask air pressure, preferably between about 27 to 61 gms per gf/cm<sup>2</sup> mask air pressure and most preferably between about 40 to 61 grams per gf/cm<sup>2</sup> mask air pressure over a mask air pressure range of 4 to 25 gf/cm<sup>2</sup>. The force  $F_c$  is also maintained within a range of about 0.3 – 4 grams per gf/cm<sup>2</sup> pressure of the supply of pressurized breathable gas per linear centimeter around a circumference of the cushion in contact with the user's face, preferably within a range of about 0.5 – 4 grams per gf/cm<sup>2</sup> pressure of the supply of pressurized breathable gas per linear centimeter around a circumference of the cushion in contact with the user's face, more preferably in a range of about 1 – 3 grams per gf/cm<sup>2</sup> pressure of the supply



of pressurized breathable gas per linear centimeter around a circumference of the cushion in contact with the user's face, and most preferably in a range of about 1.5 – 3 grams per  $\text{gf}/\text{cm}^2$  pressure of the supply of pressurized breathable gas per linear centimeter around a circumference of the cushion in contact with the user's face over a mask air pressure range of 4 to 25  $\text{gf}/\text{cm}^2$ . Although the preferred force ranges for the various forces are set forth in this paragraph, it should be recognized that the force ranges can be set between any two points within the respective overall force ranges given. It is noted that in the industry of the present invention, most pressure measurements are given in centimeters water and that 1 centimeter water =  $1 \text{ gf}/\text{cm}^2 = 98.07$  Pascals.

The gusset portion also allows the mask to maintain a seal with the patient's face over a range of about plus or minus  $8^\circ$  out of alignment with the patient's face.

It has also been found that the shape of the curve for the inventive mask shown in Figure 3 can be varied by altering the cross-section of the gusset or by providing a backstop for the gusset. Where the gusset has a very uniform thickness and curve, as shown in Figures 6 and 7, the curve for total force on the face versus movement of the mask toward the face will be generally linear within  $X_p$ . It has generally been found desirable in testing to apply a higher sealing force earlier as the mask shell travels toward  $X_p$ . That is, it is advantageous to move from C, the minimum force to seal at the given pressure, toward D, the minimum force for the inflated gusset, earlier in the travel of the mask shell toward  $X_p$ . This provides a greater remaining amount of  $X_p$  within which the mask will operate and a more gradual increase of the force of the mask on the face as the mask shell moves toward  $X_p$  within the remaining amount. The embodiments shown in Figures 12-14 help accomplish this goal.

In the first example, shown in Figure 12, the bases of the gusset sidewall are thickened in an abrupt manner to stiffen the sidewall. In this embodiment, the force-displacement curve for the mask generally follows the curve for the cushion (i.e., the curve

for the known mask shown in Figure 3) as it moves from C toward D and then a lower, generally linear slope until reaching  $X_p$ . See the long-dashed curve in Figure 3. However, changing the value for D can alter this curve. The value for D is calculated by multiplying the area for the stiffened portion of the gusset sidewall by the pressure in the mask. The stiffened portion of the gusset sidewall is shown as  $A_s$  in Figure 10. If however, the value of  $A_s$  is increased by stiffening a greater portion of the gusset sidewall, the value of D will increase. See the value for D' shown in Figure 3 and the short-dashed curve that corresponds to a mask embodiment where a greater portion of the gusset sidewall has been thickened (stiffened) to increase  $A_s$ . Thus, the long-dashed curve represents a gusset embodiment as shown in Figure 12 having an  $A_{s1}$  and the short-dashed curve represents a gusset embodiment as shown in Figure 12 having an  $A_{s2}$  greater than  $A_{s1}$ . It can be seen from Figure 3 that the gusset embodiment having the  $A_{s2}$  has reached the value D' much sooner as the mask shell moves toward  $X_p$  than the gusset embodiment having the  $A_{s1}$ , thereby leaving a greater remaining amount of the range  $X_p$  within which the mask shell can move in use.

A similar effect can be obtained by adding rigid backstops to the embodiment of Figures 6 and 7. See Figure 13, which shows an embodiment where rigid backstops 35 are attached to one or both of the gusset portion 32 and the shell 20. The rigid backstops contact the sidewalls of the gusset in the inflated mode and act as stiffeners to the portions of the sidewall that are contacted. Thus, the rigid backstops can provide the same effect as the embodiment of Figure 12. The backstops 35 can be placed on one or both sides of the gusset portion and can extend around either a portion, or all, of the perimeter of the gusset portion, as is necessary to provide the desired curve. The backstops can be made of the same material as the mask shell 20 and in one embodiment, one or both backstops 35 can be molded integrally with the shell 20. In alternative embodiments, the configurations shown in Figures 6, 7, 12, 14 and 16 can be used in combination with one another, i.e., one configuration on

one side of the gusset and another configuration on the other side of the gusset, to specifically tailor the force/travel curve as desired. The thicknesses and dimensions of the various embodiments can also be altered to specifically tailor the force/travel curve. This ability to readily and specifically tailor the force/travel curve of the mask by altering gusset configurations and dimensions is another unique and advantageous aspect of the present invention.

Where the gusset has sidewalls having a tapered thickness, as shown in Figure 14, the resulting force-displacement curve will lie between the curve for the embodiment of Figure 6 and the curve for the embodiment of Figure 12 (assuming comparable gusset base and intermediate thicknesses for the two embodiments).

The gusset portion need not be in the single gusset form discussed above, but can have alternative configurations, examples of which are shown in Figures 15-18, along with the  $A_c$  and  $A_g$  for each example.

Figure 15 shows an alternative embodiment of the mask 10 where the gusset portion 32 is in the form of a double gusset providing the decoupling joint between the face-contacting portion 34 of the cushion 30 and the mask shell 20. Of course, three or more gussets can be used in alternative embodiments of the gusset portion 32. Figure 16 shows an alternative embodiment of the mask 10 where the gusset portion 32 is in stepped form to provide the decoupling joint between the face-contacting portion 34 of the cushion 30 and the mask shell 20. While three steps are shown in Figure 16, one or more steps can be used in alternative embodiments. One advantage of this embodiment of gusset is the ease in molding the gusset portion 32 and cushion 30 together, since the shell side of the gusset portion 32 is completely open, i.e., there are no hidden surfaces. Figure 17 shows an alternative embodiment of the mask 10 where the gusset portion 32 is in the form of a piston 54 at the base of the cushion 30 axially slideably engaged with a cylinder portion 56 of the shell 20.

The piston 54 can thus move the cushion 30 in and out of the shell 20 to provide a decoupling joint between the face-contacting portion 34 of the cushion 30 and the mask shell 20. A stop 58 can be provided on the shell 20 to prevent the piston and cushion from completely disengaging with the shell 20 under pressure. A spring 60 can optionally be provided to push the piston 54 back into the shell 20 when the air pressure in the mask is decreased. The existence of the spring also simulates the elastic resistance of the gusset portions discussed above and adding a  $kX$  factor to the  $F_m$  equation. Without the spring,  $k$  would equal 0 within the range of movement of the piston.

Yet another alternative mask configuration is shown in Figure 18 which includes a gusset portion 32 having a larger upper barrel shaped gusset 78 and a lower smaller barrel shaped gusset 80. Alternatively, the larger and smaller gussets can be reversed, made the same size or even given different configurations to custom tailor the force characteristics.

Figure 21 shows an alternative embodiment of the mask of the present invention wherein the gusset portion 32 has a flexible sidewall 33 having a generally circular or round cross-section enclosing a gusset chamber 190 having an interior volume separated from an interior 192 of the mask shell 20. In one version of this embodiment the gusset chamber 190 can be connected to the mask shell interior 192 through at least one port 193 in the sidewall 33. See Figure 23. In such a case, a pressure  $P_2$  in the gusset chamber will be the same as a pressure  $P_1$  in the interior of the mask shell, the effective area of the gusset portion 32  $A_g$  will extend to the outermost interior surface of the gusset sidewall 33, and the gusset portion will operate similarly to the embodiment shown in Figure 10. However, in a preferred version of this embodiment, the interior of the gusset chamber 190 is connected through a port in the sidewall 33 to a separate pressurized supply of gas than is connected to the mask shell interior so that the pressure  $P_2$  in the gusset chamber 190 can be controlled to be at a different pressure than the pressure  $P_1$  in the mask shell interior 192. Thus, the force imparted by the

gusset portion will be a product of the pressure  $P_2$  and the area of the gusset portion. Further, in this embodiment, the area of the gusset portion is no longer determined by the outermost interior surface of the gusset sidewall as in the previous embodiments, but will be the projected area of the entire gusset chamber 190, including the area of the gusset chamber radially inward from the cushion sidewall. This area of the gusset chamber  $A_{gc}$  is shown in parentheses in Figure 21. This provides a high degree of flexibility in controlling the gusset portion and the mask.

First, if additional sealing force is needed from the gusset portion, the pressure  $P_2$  can merely be increased, or vice-versa if less sealing force is needed. Second, since the force imparted on the cushion by the gusset portion is a product of the pressure  $P_2$  and the area of the gusset portion  $A_{gc}$ , the area  $A_{gc}$  is less critical than in the previous embodiments because it can be offset by changes in the pressure  $P_2$ . For instance, the outer periphery of the gusset portion can be made smaller in this embodiment than in the previous embodiments because an interior portion of the gusset portion is now also adding to the pressurized area of the gusset portion. Further, the area  $A_{gc}$  of the gusset chamber can be varied as desired, and especially made smaller, by varying the pressure  $P_2$ . This allows the mask to be made smaller, as compared to the other masks discussed above, to be less intrusive and more comfortable to the patient.

The pressure  $P_2$  can be controlled to be in relatively constant proportion to  $P_1$  or can be controlled to be in varying proportion to  $P_1$  as the circumstances warrant. While it is currently believed that in most therapies,  $P_2$  will be greater than  $P_1$  for most, if not all, of the therapy, it is contemplated that in certain situations, controlling  $P_2$  to be less than  $P_1$  can be desirable. In some instances, it is contemplated that  $P_2$  be held constant. The gusset chamber in this embodiment is intended to be connected only to the second pressurized gas supply and otherwise be closed, especially to the atmosphere. Thus, there should be minimal leakage

from the gusset chamber and the second pressurized gas supply need only supply a small volume of gas, significantly less than the volume of gas that must be supplied for breathing purposes by the first pressurized gas supply. Further, the two separate pressurized gas supply sources for  $P_1$  and  $P_2$  can be provided by the same single gas pump and controlled by known control devices to be at the different desired pressures, or alternatively, two separate gas pumps can be used for the gas supplies to the mask interior 192 and the gusset chamber 190, respectively, to separately control each of  $P_1$  and  $P_2$ .

The gusset chamber 190 can be connected to the second gas supply through a port 194 in the gusset sidewall 33 connecting with a port 195 integrally molded with the mask shell 20 or can bypass the mask shell 20 and connect to the second gas supply through a port 196 in the gusset sidewall 33. See Figure 24, which shows both alternatives.

The embodiment of Figure 21 can have portions of the gusset sidewall 32 thickened/stiffened as discussed above with respect to Figures 12-14. However, the increased flexibility offered by controlling  $P_2$  differently from  $P_1$  means that the gusset sidewall can also be made generally uniform in thickness and a similar effect provided by the stiffening in the previously described embodiments can be provided in this embodiment merely by altering the pressure  $P_2$  as desired.

In an alternative embodiment of the mask shown in Figure 21, the gusset portion 32 can have a generally diamond-shaped cross-section when the mask 10 is not in use or not pressurized, as shown in Figure 22, which cross-section can balloon to a generally circular cross-section when the gusset chamber is pressurized. Alternative shapes for the gusset portion 32 can also be used, including a piston/cylinder arrangement corresponding to Figure 17 discussed above.

The cushion can also have alternative configurations. See Figures 25-30, which show partial sectional views of the cushion 30. In each of these embodiments, the cushion 30 is

provided with a flexible membrane 170 that acts as a face-contacting portion 134. The flexible membrane 170 is attached to the more rigid supporting sidewall 173 of the cushion 30. These embodiments do not use an inner rim as does the embodiment shown in Figure 9. In each embodiment, the face-contacting portion 134 extends beyond an axially outer end 174 of the sidewall 173 when the cushion is at rest. The face-contacting portion 134 can move axially with respect to the sidewall 173 to alter an axial distance between the face-contacting portion 134 and the axially outer end 174. That is, when a force is applied to the cushion toward the users' face, the face-contacting portion 134 will retract, axially moving toward the axially outer end 174 of the sidewall 173. The axially outer end 174 of the sidewall 173 will provide a generally positive end limit to this retraction when it contacts the user's face.

In the embodiments shown in Figures 25 and 26, the flexible membrane 170 is attached to the sidewall 173 at a position 175 axially inward from the axially outer edge 174, with a portion of the flexible membrane 170 extending axially outwardly alongside the sidewall 173 between the position 175 and the axially outer edge 174. In these embodiments, axial movement of the face-contacting portion 134 is substantially provided by the flexibility of the flexible membrane 170. If a less rigid sidewall 173 is desired, for instance, to be more comfortable to the user when the axially outer edge 174 contacts the user's face, the sidewall 173 can have a hollow portion 176, especially between the position 175 and the axially outer edge 174. See Figure 26.

In the embodiments shown in Figures 27-30, the flexible membrane 170 is connected to the sidewall 173 by a flexible connecting member 177 that provides for axial movement between the flexible member 170 and the sidewall 173. The flexible connecting member 177 can have a generally straight cross-section, as seen in Figure 27, a convoluted cross-section, as seen in Figure 28, or another cross-section. The flexible connecting member 177 can be attached to the sidewall 173 near the axially outer end 174, as shown in Figures 27-29, or can

be attached to the sidewall 173 at an axially inward position 175, as shown in Figure 30. As with the embodiment of Figure 26, the sidewall can be at least partially hollow to make the sidewall less rigid. See Figure 29. In the preferred embodiment, the flexible membrane 170, the flexible connecting member 177 and the sidewall 173 are integrally molded together.

- 5 Although the flexible membrane is shown as being attached to a cushion sidewall, it is contemplated that in alternative embodiments, the flexible membrane can be attached directly to the mask shell, with a portion of the mask shell acting as the axially outer edge 174.

The embodiments of Figure 25-30 can be used in conjunction with the gusset feature described above or can be used with known mask cushions. These embodiments provide  
10 good sealing characteristics with the face in a cushion that is easier and less expensive to manufacture than the known mask cushions. It is also to be understood that in the embodiments of Figures 27-30, the flexible connecting member can act similarly to the gusset feature described above when the mask is pressurized. That is, the pressure in the mask will act on the flexible connecting member 177 to impart an additional force on the face-  
15 contacting portion 134 of the flexible membrane 170 and that additional force will have the same characteristics as described above with respect to the above-described embodiments. In the embodiments of Figures 27-30, the area  $A_c$  would be measured the same as in the embodiments above and the area  $A_g$  would be measured to the interior surface of the sidewall 173 where the flexible connecting member 177 attaches to the sidewall 173.

- 20 Other alternative embodiments can use various combinations of any of the embodiments disclosed herein.

It should be recognized that the gusset portion of the present invention can be manufactured as a component separate from the cushion and mask shell but is attachable therebetween to provide the benefits described herein.



The reduced contact force, total force on the face and headgear tension across the mask air pressure range and especially at mask air pressures below the maximum mask air pressure improves patient comfort, in particular for auto-titrating devices which start therapy at low pressures at the beginning of the night when the patient is trying to get to sleep. The improved seal (which can be obtained with a lower contact force) reduces sleep disturbance to patients and partners by substantially reducing the risk of leaks. The improved seal also increases the confidence of the patient in the seal, resulting in more comfortable therapy for the patient. See Figure 19, which diagrams how the key characteristics of the gusset portion of the present invention mask provide principal advantages leading to patient benefits and improved compliance with a prescribed therapy.

Another aspect of the present invention is the inclusion of the baffle 23 in the mask shell 20. The employment of the baffle in the mask shell 20 improves the movement of air within the mask. In the embodiment shown in Figures 4, 5 and 20, the baffle 23 is in the form of a flat plate disposed between the mask intake 22 and the mask exhaust vent 21. The baffle 23 can extend into the mask generally horizontally or can tilt upward or downward. The baffle need not be in the form of a flat plate but can be V-shaped, curved, wavy or have some other configuration best designed to deflect air from the intake from directly flowing to the exhaust vent. The baffle 23 can be integrally molded with the mask shell or attached to the shell by other known methods, including adhesive or ultrasonic bonding. It should be understood that the mask shell incorporating the baffle can be used in combination with the gusset portion, but that either of these aspects can be used alone in a mask of the present invention.

While the invention has been described in accordance with what is presently believed to be the most practical and preferred embodiments, it is to be understood that the invention is not to be limited to the disclosed embodiments but on the contrary, is intended to cover

